

Available stock as of 20.07.26

							Deration	Deration	Battery			
Model	Fuel	Lift Height	Closed Height	Mast Type	Forks	Attachment	500mm	600mm	Volts	A/PH	Charger	Amps
C5000 FWSL	Diesel	4530mm	3280mm	Duplex	1200mm	Hyd Fork Pos		5000kg	n/a	n/a	n/a	n/a
C-4000ET	Elec	5552mm	2667mm	Triplex	1200mm	Hyd Fork Pos		4000kg	80	625	3/ph	80
C-4000ET	Elec	5552mm	2667mm	Triplex	1200mm	Hyd Fork Pos		4000kg	80	625	3/ph	80
CBE-3000	Elec	4900mm	2243mm	Triplex	1200mm	1400mm Hyd Fork Pos		3000kg	48	930	3/ph	120
CBE-3000	Elec	4900mm	2243mm	Triplex	1200mm	1400mm Hyd Fork Pos		3000kg	48	930	3/ph	120
CBE-3000	Elec	4900mm	2243mm	Triplex	1200mm	1400mm Hyd Fork Pos		3000kg	48	930	3/ph	120
CBE-3000	Elec	4900mm	2243mm	Triplex	1200mm	1400mm Hyd Fork Pos		3000kg	48	930	3/ph	120
CBE-3000	Elec	4900mm	2243mm	Triplex	1200mm	1400mm Hyd Fork Pos		3000kg	48	930	3/ph	120
AM-20SHE	Elec	9050mm	4135mm	Triplex	950mm or 1150mm	S/Shift		2000kg	48	930	3/ph	120
AM-20SHE	Elec	9050mm	4135mm	Triplex	950mm or 1150mm	S/Shift		2000kg	48	930	3/ph	120
AM-20SHE	Elec	9050mm	4135mm	Triplex	950mm or 1150mm	S/Shift		2000kg	48	930	3/ph	120
AM-20SHE	Elec	8450mm	3935mm	Triplex	950mm or 1150mm	S/Shift		2000kg	48	930	3/ph	130
AM-20SHE	Elec	8450mm	3935mm	Triplex	950mm or 1150mm	S/Shift		2000kg	48	930	3/ph	120

AM-20SHE	Elec	8450mm	3935mm	Triplex	950mm or 1150mm	S/Shift		2000kg	48	930	3/ph	100
AM-20SHE	Elec	8450mm	3935mm	Triplex	950mm or 1150mm	S/Shift		2000kg	48	930	3/ph	120
AM-20SHE	Elec	8450mm	3935mm	Triplex	950mm or 1150mm	S/Shift		2000kg	48	930	3/ph	120
AM-20SHE	Elec	8450mm	3935mm	Triplex	950mm or 1150mm	S/Shift		2000kg	48	930	3/ph	160
AM-20SHE	Elec	8450mm	3935mm	Triplex	950mm or 1150mm	S/Shift		2000kg	48	930	3/ph	100
AM-20SHE	Elec	8450mm	3935mm	Triplex	950mm or 1150mm	S/Shift		2000kg	48	930	3/ph	120
AM-20SHE	Elec	8450mm	3935mm	Triplex	950mm or 1150mm	S/Shift		2000kg	48	930	3/ph	120
AM-20SHE	Elec	7650mm	3535mm	Triplex	950mm or 1150mm	S/Shift		2000kg	48	775	3/ph	100
AM-20NE	Elec	7650mm	3535mm	Triplex	950mm or 1150mm	S/Shift		2000kg	48	775	3/ph	100
AM-20NE	Elec	7650mm	3535mm	Triplex	950mm or 1150mm	S/Shift		2000kg	48	775	3/ph	100
AM-20NE	Elec	7650mm	3535mm	Triplex	950mm or 1150mm	S/Shift		2000kg	48	775	3/ph	120
AM-20NE	Elec	7650mm	3535mm	Triplex	950mm or 1150mm	S/Shift		2000kg	48	775	3/ph	100
AM-20NE	Elec	6650mm	3115mm	Triplex	950mm or 1150mm	S/Shift		2000kg	48	775	3/ph	100
AM-20NE	Elec	5550mm	2715mm	Triplex	950mm or 1150mm	S/Shift		2000kg	48	775	3/ph	100
AM-20NE	Elec	5550mm	2715mm	Triplex	950mm or 1150mm	S/Shift		2000kg	48	775	3/ph	100
AM-20NE	Elec	5550mm	2715mm	Triplex	950mm or 1150mm	S/Shift		2000kg	48	775	3/ph	100

AM-20NE	Elec	5550mm	2715mm	Triplex	950mm or 1150mm	S/Shift		2000kg	48	775	3/ph	100
AM-20NE	Elec	5550mm	2715mm	Triplex	950mm or 1150mm	S/Shift		2000kg	48	775	3/ph	100
AM-15NE	Elec	7250mm	3385mm	Triplex	950mm or 1150mm	S/Shift		1500kg	48	775	3/ph	100
AM-15NE	Elec	7250mm	3385mm	Triplex	950mm or 1150mm	S/Shift		1500kg	48	775	3/ph	100
AM-15NE	Elec	7250mm	3385mm	Triplex	950mm or 1150mm	S/Shift		1500kg	48	775	3/ph	100
AM-15NE	Elec	6650mm	3115mm	Triplex	950mm or 1150mm	S/Shift		1500kg	48	775	3/ph	100
WR4-1500	Elec	3000mm	2035mm	Duplex	1150mm	S/Shift		1500kg	24	375	1/ph	35
WR4-1500	Elec	3000mm	2035mm	Duplex	1000mm	S/Shift		1500kg	24	375	1/ph	35
CS-1500	Elec	3000mm	2115mm	Duplex	900mm or 1100mm	n/a	1500kg	1250kg	24	375	1/ph	50
Returning soon												
Model	Fuel	Lift Height	Closed Height	Mast Type	Forks	Attachment	500mm	600mm	Volts	A/PH	Charger	Amps
CBE-3000	Elec	4900mm	2243mm	Triplex	1200mm	1400mm Hyd Fork Pos		3000kg	48	930	3/ph	120